To: From: Sent: Subject:	KHanson@ldftribe.com[KHanson@ldftribe.com] Egan, Robert Thur 7/28/2016 6:23:56 PM FW: draft works plans
Kristen,	
FYI-see below. BERS should be submitting the draft work plan tomorrow.	
Monday, this is cru	at makes for a very tight review schedule, but if you can provide comments by noon on we should be able to have a final version ready when field work starts. I don't believe icial, but it would be preferred to have it completed by the time we start at the site. I will make sure we have a final Health and Safety Plan when field work starts.
Also, I still need to contact the owner for the restaurant property. Please send along the contact info. I went through my history of messages and can't find it. It may have been deleted by mistake.	
Thank yo	u.
Bob Egai	n
Correctiv	e Action Manager
Undergro	ound Storage Tanks Section
RCRA Branch	
EPA Region 5	
(312) 886-6212	
(312) 692-2911 (fax)	

From: Faust, Matt [mailto:mfaust@bristol-companies.com] Sent: Thursday, July 28, 2016 11:16 AM To: Egan, Robert <egan.robert@epa.gov> Subject: RE: draft works plans</egan.robert@epa.gov>
Okay Bob, will do. We should be submitting them tomorrow, FYI.
Matt Faust, P.G. Project Manager/Geologist Bristol Environmental Remediation Services, LLC Phone: (907) 743-9346
From: Egan, Robert [mailto:egan.robert@epa.gov] Sent: Thursday, July 28, 2016 5:21 AM To: Faust, Matt <mfaust@bristol-companies.com> Subject: draft works plans</mfaust@bristol-companies.com>
Matt,
When you submit the documents for Tower Standard, please also send them to my personal email address. I will notice them more quickly if I am away from the office.
regan103@comcast.net
Thanks.
Bob Egan
Corrective Action Manager
Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)

CONFIDENTIAL NOTICE: This document is for the sole purpose of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not the intended recipient, please contact the sender and destroy all copies of the original document.

--